




54 / 345




55 / 345




SUBSTITUTE SHEET (Rule 26) (RO/AU)



SUBSTITUTE SHEET (Rule 26) (RO/AU)








FIG. 118




FIG. 119









FIG. 120














FIG. 126




FIG. 127




FIG. 128




FIG. 131









FIG. 132




















FIG. 142




FIG. 143




FIG. 144




FIG. 145




FIG. 146

71 / 345




FIG. 148




FIG. 149

SUBSTITUTE SHEET (Rule 26) (RO/AU)




FIG. 150





FIG. 151








FIG. 153

74 / 345




SUBSTITUTE SHEET (Rule 26) (RO/AU)






SUBSTITUTE SHEET (Rule 26) (RO/AU)

76 / 345








FIG. 158






FIG. 159








FIG. 162




FIG. 163




FIG. 164




FIG. 165

PCT/AU98/00550








FIG. 166





SUBSTITUTE SHEET (Rule 26) (RO/AU)











SUBSTITUTE SHEET (Rule 26)




FIG. 173






FIG. 174








FIG. 177






FIG. 178








FIG. 181




FIG. 182




FIG. 183




FIG. 184




FIG. 185







FIG. 186











PCT/AU98/00550


92 / 345















FIG. 195







FIG. 197






FIG. 199




FIG. 200





FIG. 201






FIG. 203




FIG. 204




FIG. 205




FIG. 206







FIG. 207





SUBSTITUTE SHEET (Rule 26) (RO/AU)





SUBSTITUTE SHEET (Rule 26) (RO/AU)














FIG. 217




FIG. 218




FIG. 219




FIG. 220






FIG. 221











FIG. 224



SUBSTITUTE SHEET (Rule 26) (RO/AU)



SUBSTITUTE SHEET (Rule 26) RO/AU






FIG. 228





FIG. 229






FIG. 231




FIG. 232




FIG. 233




FIG. 234




FIG. 235




FIG. 236




FIG. 237









FIG. 238


















FIG. 245

118 / 345









FIG. 247












FIG. 252








FIG. 255




FIG. 256




FIG. 257







FIG. 258






125 / 345



126 / 345






FIG. 264

128 / 345




FIG. 265






FIG. 266


SUBSTITUTE SHEET (Rule 26) (RO/AU)





SUBSTITUTE SHEET (Rule 26) (RO/AU)




















FIG. 275





FIG. 276






FIG. 278




FIG. 279




FIG. 280




FIG. 281




FIG. 282






FIG. 283





SUBSTITUTE SHEET (Rule 26) (RO/AU)

138 / 345






FIG. 288

SUBSTITUTE SHEET (Rule 26) (RO/AU)


139 / 345




140 / 345



141 / 345




142 / 345





SUBSTITUTE SHEET (Rule 26) (RO/AU)

143 / 345



144 / 345








FIG. 301




FIG. 302




FIG. 303




FIG. 304




FIG. 305




FIG. 306




FIG. 307




FIG. 308




FIG. 309







FIG. 310





150 / 345






FIG. 314




FIG. 315




FIG. 316






FIG. 317

153 / 345








FIG. 320




FIG. 321




FIG. 322




FIG. 323




FIG. 324




FIG. 325




FIG. 326





FIG. 327

PCT/AU98/00550 WO 99/03681










FIG. 329









SUBSTITUTE SHEET (Rule 26) (RO/AU)



SUBSTITUTE SHEET (Rule 26) (RO/AU)








FIG. 336




FIG. 337




FIG. 338




FIG. 339





FIG. 340

SUBSTITUTE SHEET (Rule 26) (RO/AU)






FIG. 342








FIG. 343







SUBSTITUTE SHEET (Rule 26) (RO/AU)







167 / 345












FIG. 355





FIG. 356







FIG. 358



SUBSTITUTE SHEET (Rule 26) (RO/AU)




FIG. 360




FIG. 362

SUBSTITUTE SHEET (Rule 26) (RO/AU)




FIG. 363




FIG. 364




FIG. 365




FIG. 366







FIG. 367






SUBSTITUTE SHEET (Rule 26) RO/AU

WO 99/03681




177 / 345



SUBSTITUTE SHEET (Rule 26) (RO/AU)

PCT/AU98/00550

178 / 345



SUBSTITUTE SHEET (Rule 26) (RO/AU)






FIG. 373


180 / 345




181 / 345




182 / 345




183 / 345



184 / 345




185 / 345




SUBSTITUTE SHEET (Rule 26) (RO/AU)


186 / 345




187 / 345




188 / 345




189 / 345



190 / 345








FIG. 396




FIG. 397




FIG. 398




FIG. 399




FIG. 400




FIG. 401




FIG. 402




FIG. 403




FIG. 404









FIG. 405













198 / 345










FIG. 415




FIG. 416




FIG. 417




FIG. 418




FIG. 419









FIG. 420















































FIG. 437






FIG. 438








FIG. 441




FIG. 442




FIG. 443




FIG. 444




FIG. 445




FIG. 446





FIG. 447










FIG. 449


213 / 345























SUBSTITUTE SHEET (Rule 26) (RO/AU)

217 / 345




218 / 345







220 / 345




221 / 345




222 / 345




223 / 345




224 / 345





225 / 345




226 / 345













FIG. 481






FIG. 483






FIG. 484












FIG. 487





SUBSTITUTE SHEET (Rule 26) (RO/AU)



















SUBSTITUTE SHEET (Rule 26) (RO/AU)

















SUBSTITUTE SHEET (Rule 26) (RO/AU)





SUBSTITUTE SHEET (Rule 26) (RO/AU)


238 / 345


















































255 / 345







257 / 345



SUBSTITUTE SHEET (Rule 26) (RO/AU)








FIG. 531




FIG. 532






FIG. 533








FIG. 536 SUBSTITUTE SHEET (Rule 26)




FIG. 537




FIG. 538








FIG. 539 SUBSTITUTE SHEET (Rule 26) (RO/AU)








264 / 345




265 / 345




SUBSTITUTE SHEET (Rule 26) (RO/AU)

266 / 345




SUBSTITUTE SHEET (Rule 26) (RO/AU)



SUBSTITUTE SHEET (Rule 26) (RO/AU)

268 / 345









FIG. 551b

Region specified by mask 5




271 / 345







273 / 345





SUBSTITUTE SHEET (Rule 26) (RO/AU)





276 / 345








FIG. 559




FIG. 560




FIG. 561




FIG. 562




FIG. 563




FIG. 564




FIG. 565




FIG. 566




FIG. 567




FIG. 568








FIG. 569





283 / 345








FIG. 576




FIG. 577




FIG. 578




FIG. 579




FIG. 580




FIG. 581




FIG. 582




FIG. 583 SUBSTITUTE SHEET (Rule 26) (RO/AU)




FIG. 584







FIG. 585




SUBSTITUTE SHEET (Rule 26) (RO/AU)


289 / 345






SUBSTITUTE SHEET (Rule 26) (RO/AU)






292 / 345




293 / 345




SUBSTITUTE SHEET (Rule 26) (RO/AU)

294 / 345



295 / 345



296 / 345







FIG. 601



SUBSTITUTE SHEET (Rule 26) (RO/AU)



SUBSTITUTE SHEET (Rule 26) (RO/AU)






FIG. 605




FIG. 606




FIG. 607




FIG. 608








FIG. 609
















FIG. 616


304 / 345
















SUBSTITUTE SHEET (Rule 26) (RO/AU)





SUBSTITUTE SHEET (Rule 26) (RO/AU)




SUBSTITUTE SHEET (Rule 26) (RO/AU)

311 / 345









SUBSTITUTE SHEET (Rule 26)

314 / 345



SUBSTITUTE SHEET (Rule 26)






FIG. 630




FIG. 631




FIG. 632




FIG. 633




FIG. 634




FIG. 635




FIG. 636







FIG. 637





320 / 345











FIG. 641a




























329 / 345



330 / 345








FIG. 653




FIG. 654




FIG. 655




FIG. 656






FIG. 657









FIG. 662









FIG. 664a






SUBSTITUTE SHEET (Rule 26) (RO/AU)

337 / 345



SUBSTITUTE SHEET (Rule 26) (RO/AU)






FIG. 668




FIG. 669




FIG. 670




FIG. 671




FIG. 672




FIG. 673




FIG. 674







FIG. 675

341 / 345







342 / 345




SUBSTITUTE SHEET (Rule 26)



344 / 345





SUBSTITUTE SHEET (Rule 26) (RO/AU)

International Application No.

PCT/AU 98/00550

A.	CLASSIFICATION OF SUBJECT MATTER							
Int Cl ⁶ :	B41J 2/045, 2/055, 2/14, 2/16, 2/165							
According to International Patent Classification (IPC) or to both national classification and IPC								
В.	FIELDS SEARCHED							
Minimum documentation searched (classification system followed by classification symbols) Int Cl ⁶ : B41J 2/-								
Documentation	Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched							
Electronic data base consulted during the international search (name of data base and, where practicable, search terms used) WPAT} B41J 41/- AND (ink (w) jet; OR inkjet:) AND print: AND (bend: OR deflect: OR JAPIO} deform: OR arch: OR buckl:) AND (therm: OR heat: OR hot OR temperatur:)								
C.	DOCUMENTS CONSIDERED TO BE RELEVANT							
Category*	Citation of document, with indication, where app	propriate, of the relevant passages	Relevant to claim No.					
P,X	US 5719604 A (INUI) 17 February 1998 Whole document, figures 1-10	1,2,10,12,109-111 125,126,129						
P,X	US 5666141 A (MATOBA) 9 September 1997 Whole document, figures 1-51		1,2,5,10,12,109-111 125,126					
Х	EP 713774 A (SHARP KK) 29 May 1996 Whole document		1,2,10,12,109-111, 125-127					
X Further documents are listed in the continuation of Box C								
* Special categories of cited documents: "A" document defining the general state of the art which is not considered to be of particular relevance "E" earlier document but published on or after the international filing date "L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified) "O" document referring to an oral disclosure, use, exhibition or other means "P" document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone document of particular relevance, the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art document member of the same patent family								
Date of the actual completion of the international search 1 September 1998 Date of mailing of the international search report 1 5 SEP 1998								
AUSTRALIAI PO BOX 200 WODEN AC	lling address of the ISA/AU N PATENT OFFICE I 2606	Authorized officer DEREK BUTLER						
AUSTRALIA Facsimile No.	Facsimile No.: (02) 6285 3929 Telephone No.: (02) 6283 2347							

International Application No.

PCT/AU 98/00550

Category* Citation of document, with indication, where appropriate, of the DE 19516997 A (SHARP KK) 16 November 1995 Whole document DE 19623620 A (SHARP KK) 19 December 1996 Whole document Patent Abstracts of Japan, M 997, page 32, JP 2-108544 A (SIEKO EPSON CORP) 20 April 1990 Abstract	ne relevant passages	Relevant to claim No. 1,2, 109-111, 125-127, 129 1,2, 109-111, 125,126
X Whole document DE 19623620 A (SHARP KK) 19 December 1996 Whole document Patent Abstracts of Japan, M 997, page 32, JP 2-108544 A (SIEKO EPSON CORP) 20 April 1990		109-111, 125-127, 129 1,2, 109-111,
DE 19623620 A (SHARP KK) 19 December 1996 Whole document Patent Abstracts of Japan, M 997, page 32, JP 2-108544 A (SIEKO EPSON CORP) 20 April 1990		109-111, 125-127, 129 1,2, 109-111,
Whole document Patent Abstracts of Japan, M 997, page 32, JP 2-108544 A (SIEKO EPSON CORP) 20 April 1990		1,2, 109-111,
Patent Abstracts of Japan, M 997, page 32, JP 2-108544 A (SIEKO EPSON CORP) 20 April 1990		109-111,
JP 2-108544 A (SIEKO EPSON CORP) 20 April 1990		ł
· · · · · · · · · · · · · · · · · · ·		
		1,2,109-111,
Patent Abstracts of Japan, M 989, page 131,		123
JP 2-92643 A (SIEKO EPSON CORP) 3 April 1990 Abstract		109-111,116
Patent abstracts of Japan, M 1403, page 129,		
JP 4-353458 A (BROTHER IND INC) 8 December 1992		
X Abstract		1,116
Patent Abstracts of Japan, M 1632, page 152,		
JP 6-91865 A (SIEKOSHA CO LTD) 5 April 1994 Abstract		1
A Mostado		1
Patent Abstracts of Japan, M 1632, page 152		
JP 6-91866 A (SIEKOSHA CO LTD) 5 April 1994		
X Abstract		1
Patent Abstracts of Japan, M 1069, page 165, JP 2-265752 A (MATSUSHITA ELECTRIC IN CO LTD) 30	October 1990	
X Abstract		1

international Application No.

PCT/AU 98/00550

Box 1	Observations where certain claims were found unsearchable (Continuation of item 1 of first sheet)				
This International Search Report has not been established in respect of certain claims under Article 17(2)(a) for the following reasons:					
1.	Claims Nos.:				
	because they relate to subject matter not required to be searched by this Authority, namely:				
2.	Claims Nos.: because they relate to parts of the international application that do not comply with the prescribed requirements to such an extent that no meaningful international search can be carried out, specifically:				
3.	Claims Nos.: because they are dependent claims and are not drafted in accordance with the second and third sentences of Rule 6.4(a)				
Box II	Observations where unity of invention is lacking (Continuation of item 2 of first sheet)				
This Inter	national Searching Authority found multiple inventions in this international application, as follows:				
	For analysis of lack of unity, only the independent claims have been considered. The analysis results in a total of forty-two claims or groups of claims which are not linked by a special common technical feature.				
Several groups appear linked by the common technical feature of a thermal actuator, however thermal actuators per se are well known, for example bimetal strips. Therefore groupings have been made using further special technical features based on the					
101111 01	r type of actuator. Continued				
1.	As all required additional search fees were timely paid by the applicant, this international search report covers all searchable claims				
2.	2. As all searchable claims could be searched without effort justifying an additional fee, this Authority did not invite payment of any additional fee.				
As only some of the required additional search fees were timely paid by the applicant, this international search report covers only those claims for which fees were paid, specifically claims Nos.:					
4.	No required additional search fees were timely paid by the applicant. Consequently, this international search report is restricted to the invention first mentioned in the claims; it is covered by claims Nos.: 1-12, 67-77, 109-131, 183-194, 213, 214, 303-326				
Remark	on Protest The additional search fees were accompanied by the applicant's protest.				
	No protest accompanied the payment of additional search fees.				

Supplemental Box

(To be used when the space in any of Boxes I to VIII is not sufficient)

Continuation of Box No: Box II Observations where unity of invention is lacking

Similarly, the methods of manufacture groups appear linked by the common technical feature of depositing and etching layers on a substrate, however this general process is well known in a range of fields. Therefore grouping has been made using further special technical features based on the specific layering steps and/or form of the item to be manufactured by the method.

There are claims or groups of claims with special technical features that are not defined in the context of ink jet nozzles/printers per se.

- (a) Claims 1, 2, 67, 109, 112, 116, 125, 130, 183, 213, 303, 315 Ink jet printer with ejection nozzle, thermal bend actuator utilized to eject ink.
- (b) Claim 13 Ink jet nozzle, first actuator ejects ink, second actuator pumps ink in.
- (c) Claims 13(sic)(page 221), 328 Thermal actuator, conductor thinned adjacent attachment to substrate.
- (d) Claim 28 Ink jet nozzle, magnetic actuator.
- (e) Claims 39, 59, 60, 78, 83 Ink jet controlled by shutter means.
- (f) Claim 50 Ink jet nozzle, ink ejection controlled by shutter, shutter controlled by buckle actuated mechanism.
- (g) Claim 87 Ink jet arrangement with plurality of vane units actuated to eject ink by iris type actuator.
- (h) Claims 100, 154, 735, 736 Corrugated heater for thermal actuator or micro mechanical structure.
- (i) Claims 106/160 Thermal actuator with layered high and low coefficient of thermal expansion materials and a conductive material heater, the conductor material having holes to reduce delamination.
- (j) Claims 132, 141 Ink jet nozzle with impeller type paddles.
- (k) Claim 143 Actuated paddle with a hydroscopic surface amendable for the collection of gases.
- (1) Claims 152, 153 Ink jet nozzle with paddle actuated to eject through portal.
- (m) Claims 163, 742 Reducing laminar separation of a series of planar actuation components in a thermal actuator or micro-mechanical device by clamping where fixed to a substrate.
- (n) Claim 168 Ink jet nozzle with actuator mechanism having a portion between nozzle chamber and ink supply.
- (o) Claim 195 Ink jet nozzle arrangement with movable vane actuated from control nozzle chamber.
- (p) Claim 204 Thermal actuator comprising non-conductive strips and a conducting strip of two wires.
- (q) Claim 215 Fluid ejection apparatus with actuated paddle vane ejecting fluid via roof of chamber.
- (r) Claims 227, 240/260, 242/262, 289 Ejecting fluid from first and second nozzle chambers by actuating paddle in two alternate directions respectively.
- (s) Claim 291 Ink jet nozzle arrangement with concave movable paddle vane.

continued

Supplemental Box

(To be used when the space in any of Boxes I to VIII is not sufficient)

Continuation of Box No: II Observations where unity of invention is lacking.

- (t) Claim 327 Thermal actuator having two layers of similar properties acting against each other when cool.
- (u) Claims, 329/340, 351 Ink jet nozzle arrangement with actuated paddle forming wall around nozzle rim.
- (v) Claims 364, 370, 384, 391, 420, 427, 444, 458, 474, 490, 497, 504, 511, 527, 536, 557, 574, 581, 596, 610, 618, 633, 649, 664, 680, 692, 706, 720 Method of manufacturing ink jet print heads of various types having thermal actuators, by depositing and etching layers on a substrate, with no specific steps comparable with other grouped methods.
- (w) Claims 377, 451, 480 Method of manufacturing ink jet print heads including a series of nozzle chambers by depositing and etching layers on a semiconductor wafer having an electrical circuitry layer and a buried epitaxial layer, with steps not directly comparable with other grouped methods.
- (x) Claims 398, 412, 434, 465, 518 Method of manufacturing ink jet print heads including a series of nozzle chambers by depositing and etching layers on a semiconductor wafer having an electrical circuitry layer, with steps not directly comparable with other grouped methods.
- (y) Claim 543, 564 Method of manufacturing a thermally actuated ink jet printer by depositing and etching layers on a silicon wafer having an electrical circuitry layer for operation of thermal actuator, with steps not directly comparable with other grouped methods.
- (z) Claim 588 Method of manufacturing a thermally actuated ink jet printer by depositing and etching layers on a silicon wafer, with steps not directly comparable with other grouped methods.
- (aa) Claim 603 Method of manufacturing ink jet printer having paddle vane ejecting ink via exposed roof of a trough, by depositing and etching layers on a silicon wafer, with steps not directly comparable with other grouped methods.
- (ab) Claim 625 Method of manufacturing ink jet printer having paddle vanes moving to eject ink from two alternative apertures, by depositing and etching layers on a silicon wafer, with steps not directly comparable with other grouped methods.
- (ac) Claim 640 Method of manufacturing a thermally actuated ink jet printer by depositing and etching layers on a silicon wafer, with steps not directly comparable with other grouped methods.
- (ad) Claim 656, 687 Method of manufacturing an ink jet printer nozzle including a concave paddle vane, by depositing and etching layers, with steps not directly comparable with other grouped methods.
- (ae) Claim 671 Method of manufacturing an ink jet print head by depositing and etching layers on a semiconductor wafer, with steps not directly comparable with other grouped methods.
- (af) Claim 699 Method of manufacturing an ink jet print head by depositing and etching layers on a semiconductor wafer, with steps not directly comparable with other grouped methods.
- (ag) Claim 727 Method of manufacturing an ink jet print head by depositing and etching layers on a semiconductor wafer, with steps not directly comparable with other grouped methods.
- (ah) Claims 738, 763 Micro-mechanical liquid pumping system utilizing hydrophobic material.

Continued

INTERNATIONAL PRELIMINARY EXAMINATION REPORT

International Application No. PCT/ AU 98/00550

Supplemental Box

(To be used when the space in any of Boxes I to VIII is not sufficient)

Continuation of Box No: Box II Observations where unity of invention is lacking.

- (ai) Claims 746, 747, 750 Constructing conducting portions in a non-conductive material by utilising wires, for thermal actuator.
- (aj) Claim 754 Micro-mechanical actuator element with first member of high coefficient of thermal expansion and a serpentine heater of lower coefficient of thermal expansion and a serpentine heater of lower coefficient of thermal expansion so that heated heater elongates to accommodate expansion of the first material.
- (ak) Claim 755 Micro-mechanical actuator element with two layers having different coefficients of thermal expansion and a heater in contact with both layers.
- (al) Claim 760 Micro-mechanical planar flow control system with integral grill structure.
- (am) Claim 766 Thermal actuator with independently heated resistive elements on a common line expanding to give controlled vertical and horizontal movement.
- (an) Claims 780, 786 Method of controlling a micro-mechanical structure system on a semiconductor wafer with integral circuitry layers utilising a sacrificial etchant.
- (ao) Claim Lever arrangement with resilient rotation of the levers.
- (ap) Claim 796 Interconnection of external lines to an integrated circuit.

Information on patent family members

International Application No. **PCT/AU** 98/00550

This Annex lists the known "A" publication level patent family members relating to the patent documents cited in the above-mentioned international search report. The Australian Patent Office is in no way liable for these particulars which are merely given for the purpose of information.

Patent Document Cited in Search Report		Patent Family Member				
US	5719604	DE	19532913	JP	8-90769	
US	5666141	EP	634273	JP	7-25009	
EP	713774	JP	8-142323			
DE	19516997	JP	8-20108	JP	7-304170	
DE	19623620	JP	8-336965			

END OF ANNEX